

ROYAL DOUBLE LUX												TECHNICAL INFORMATION												(For connection types, please refer to the last page)												HEAT OUTPUTS INFORMATION												LOGISTICS INFORMATION											
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)																														
	mm	pieces	mm	mm	mm	mm	mm	mm	L	mm	Watt		Btu	Watt	Btu	kg						kg	m³	mm	Watt					Btu	Watt	Btu	kg	kg	m³	mm																							
5060102403000218	380 x 220	3	52	245	52-61	78-87	26-35	4	70	0,27	C	5060102403000218	91	311	119	405	2,12	3,03	0,02	490X253X87	5060102403000218	91	311	119	405	2,12	3,03	0,02	490X253X87																														
5060102403000292	380 x 290	4	52	245	52-61	78-87	26-35	4	70	0,36	C	5060102403000292	122	415	158	540	2,74	3,71	0,02	490X327X87	5060102403000292	122	415	158	540	2,74	3,71	0,02	490X327X87																														
5060102403000366	380 x 370	5	52	245	52-61	78-87	26-35	4	70	0,44	C	5060102403000366	152	519	198	675	3,36	4,43	0,02	490X401X87	5060102403000366	152	519	198	675	3,36	4,43	0,02	490X401X87																														
5060102403000440	380 x 440	6	52	245	52-61	78-87	26-35	4	70	0,52	C-E-D	5060102403000440	183	623	237	810	3,97	5,10	0,03	490X475X87	5060102403000440	183	623	237	810	3,97	5,10	0,03	490X475X87																														
5060102403000514	380 x 510	7	52	245	52-61	78-87	26-35	4	70	0,60	C-E-D	5060102403000514	213	727	277	945	4,59	5,81	0,03	490X549X87	5060102403000514	213	727	277	945	4,59	5,81	0,03	490X549X87																														
5060102403000588	380 x 590	8	52	245	52-61	78-87	26-35	4	70	0,68	C-E-D	5060102403000588	244	830	317	1080	5,21	6,51	0,03	490X623X87	5060102403000588	244	830	317	1080	5,21	6,51	0,03	490X623X87																														
5060102403000662	380 x 660	9	52	245	52-61	78-87	26-35	4	70	0,76	C-E-D	5060102403000662	274	934	356	1214	5,83	7,36	0,03	490X697X87	5060102403000662	274	934	356	1214	5,83	7,36	0,03	490X697X87																														
5060102403000736	380 x 740	10	52	245	52-61	78-87	26-35	4	70	0,84	C-E-D	5060102403000736	304	1038	396	1349	6,45	8,07	0,04	490X771X87	5060102403000736	304	1038	396	1349	6,45	8,07	0,04	490X771X87																														
5060102403000810	380 x 810	11	52	245	52-61	78-87	26-35	4	70	0,92	C-E-D	5060102403000810	335	1142	435	1484	7,07	8,75	0,04	490X845X87	5060102403000810	335	1142	435	1484	7,07	8,75	0,04	490X845X87																														
5060102403000884	380 x 880	12	52	245	52-61	78-87	26-35	4	70	1,01	C-E-D	5060102403000884	365	1246	475	1619	7,68	9,46	0,04	490X919X87	5060102403000884	365	1246	475	1619	7,68	9,46	0,04	490X919X87																														
5060102403000958	380 x 960	13	52	245	52-61	78-87	26-35	4	70	1,09	C-E-D	5060102403000958	396	1349	514	1754	8,30	10,15	0,05	490X993X87	5060102403000958	396	1349	514	1754	8,30	10,15	0,05	490X993X87																														
5060102403001032	380 x 1030	14	52	245	52-61	78-87	26-35	4	70	1,18	C-E-D	5060102403001032	426	1453	554	1889	9,06	10,99	0,05	490X1067X87	5060102403001032	426	1453	554	1889	9,06	10,99	0,05	490X1067X87																														
5060102403001106	380 x 1110	15	52	245	52-61	78-87	26-35	4	70	1,26	C-E-D	5060102403001106	457	1557	594	2024	9,68	11,69	0,05	490X1141X87	5060102403001106	457	1557	594	2024	9,68	11,69	0,05	490X1141X87																														
5060102403001180	380 x 1180	16	52	245	52-61	78-87	26-35	4	70	1,34	C-E-D	5060102403001180	487	1661	633	2159	10,30	12,38	0,06	490X1215X87	5060102403001180	487	1661	633	2159	10,30	12,38	0,06	490X1215X87																														
5060102403001254	380 x 1250	17	52	245	52-61	78-87	26-35	4	70	1,43	C-E-D	5060102403001254	517	1765	673	2294	10,92	13,09	0,06	490X1289X87	5060102403001254	517	1765	673	2294	10,92	13,09	0,06	490X1289X87																														
5060102403001328	380 x 1330	18	52	245	52-61	78-87	26-35	4	70	1,51	C-E-D	5060102403001328	548	1868	712	2429	11,53	13,77	0,06	490X1363X87	5060102403001328	548	1868	712	2429	11,53	13,77	0,06	490X1363X87																														
5060102403001402	380 x 1400	19	52	245	52-61	78-87	26-35	4	70	1,59	C	5060102403001402	578	1972	752	2564	12,15	14,47	0,07	490X1437X87	5060102403001402	578	1972	752	2564	12,15	14,47	0,07	490X1437X87																														
5060102403001476	380 x 1480	20	52	245	52-61	78-87	26-35	4	70	1,67	C	5060102403001476	609	2076	791	2699	12,76	15,16	0,07	490X1511X87	5060102403001476	609	2076	791	2699	12,76	15,16	0,07	490X1511X87																														
5060102403001550	380 x 1550	21	52	245	52-61	78-87	26-35	4	70	1,75	C	5060102403001550	639	2180	831	2834	13,38	15,85	0,07	490X1585X87	5060102403001550	639	2180	831	2834	13,38	15,85	0,07	490X1585X87																														
5060102403001624	380 x 1620	22	52	245	52-61	78-87	26-35	4	70	1,83	C	5060102403001624	670	2284	871	2969	14,00	16,55	0,08	490X1659X87	5060102403001624	670	2284	871	2969	14,00	16,55	0,08	490X1659X87																														
5060102403001698	380 x 1700	23	52	245	52-61	78-87	26-35	4	70	1,91	C	5060102403001698	700	2387	910	3104	14,62	17,26	0,08	490X1733X87	5060102403001698	700	2387	910	3104	14,62	17,26	0,08	490X1733X87																														
5060102403001772	380 x 1770	24	52	245	52-61	78-87	26-35	4	70	1,99	C	5060102403001772	731	2491	950	3239	15,23	17,94	0,08	490X1807X87	5060102403001772	731	2491	950	3239	15,23	17,94	0,08	490X1807X87																														
5060102403001846	380 x 1850	25	52	245	52-61	78-87	26-35	4	70	2,08	C	5060102403001846	761	2595	989	3373	15,85	18,65	0,09	490X1881X87	5060102403001846	761	2595	989	3373	15,85	18,65	0,09	490X1881X87																														
5060102403001920	380 x 1920	26	52	245	52-61	78-87	26-35	4	70	2,16	C	5060102403001920	791	2699	1029	3508	16,47	19,34	0,09	490X1955X87	5060102403001920	791	2699	1029	3508	16,47	19,34	0,09	490X1955X87																														
5060102403001994	380 x 1990	27	52	245	52-61	78-87	26-35	4	70	2,24	C	5060102403001994	822	2803	1068	3643	17,09	20,03	0,09	490X2029X87	5060102403001994	822	2803	1068	3643	17,09	20,03	0,09	490X2029X87																														
5060102404000218	480 x 220	3	52	345	52-61	78-87	26-35	4	70	0,32	C	5060102404000218	124	424	162	552	2,54	3,52	0,02	590X253X87	5060102404000218	124	424	162	552	2,54	3,52	0,02	590X253X87																														
5060102404000292	480 x 290	4	52	345	52-61	78-87	26-35	4	70	0,41	C	5060102404000292	166	566	216	736	3,30	4,38	0,02	590X327X87	5060102404000292	166	566	216	736	3,30	4,38	0,02	590X327X87																														
5060102404000366	480 x 370	5	52	345	52-61	78-87	26-35	4	70	0,51	C	5060102404000366	207	707	270	919	4,06	5,24	0,03	590X401X87	5060102404000366	207	707	270	919	4,06	5,24	0,03	590X401X87																														
5060102404000440	480 x 440	6	52	345	52-61	78-87	26-35	4	70	0,60	C-E-D	5060102404000440	249	849	324	1103	4,81	6,08	0,03	590X475X87	5060102404000440	249	849	324	1103	4,81	6,08	0,03	590X475X87																														
5060102404000514	480 x 510	7	52	345	52-61	78-87	26-35	4	70	0,70	C-E-D	5060102404000514	290	990	377	1287	5,56	6,93	0,04	590X549X87	5060102404000514	290	990</																																				

ROYAL DOUBLE LUX		TECHNICAL INFORMATION										(For connection types, please refer to the last page)										HEAT OUTPUTS INFORMATION				LOGISTICS INFORMATION			
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)									
	mm	pieces	mm	mm	mm	mm	mm	mm	L		Watt		Btu	Watt	Btu	kg					kg	m³	mm						
5060102406000662	680 x 660	9	52	545	52-61	78-87	26-35	4	70	1,15	C-E-D	5060102406000662	585	1995	761	2593	9.58	11.60	0.05	790X697X87									
5060102406000736	680 x 740	10	52	545	52-61	78-87	26-35	4	70	1,27	C-E-D	5060102406000736	650	2217	845	2881	10.61	12.75	0.06	790X771X87									
5060102406000810	680 x 810	11	52	545	52-61	78-87	26-35	4	70	1,40	C-E-D	5060102406000810	715	2438	930	3170	11.65	13.91	0.06	790X845X87									
5060102406000884	680 x 880	12	52	545	52-61	78-87	26-35	4	70	1,52	C-E-D	5060102406000884	780	2660	1014	3458	12.68	15.06	0.07	790X919X87									
5060102406000958	680 x 960	13	52	545	52-61	78-87	26-35	4	70	1,64	C-E-D	5060102406000958	845	2881	1099	3746	13.71	16.22	0.07	790X993X87									
5060102406001032	680 x 1030	14	52	545	52-61	78-87	26-35	4	70	1,78	C-E-D	5060102406001032	910	3103	1183	4034	14.88	17.50	0.08	790X1067X87									
5060102406001106	680 x 1110	15	52	545	52-61	78-87	26-35	4	70	1,91	C-E-D	5060102406001106	975	3325	1268	4322	15.92	18.67	0.08	790X1141X87									
5060102406001180	680 x 1180	16	52	545	52-61	78-87	26-35	4	70	2,03	C-E-D	5060102406001180	1040	3546	1352	4610	16.95	19.81	0.09	790X1215X87									
5060102406001254	680 x 1250	17	52	545	52-61	78-87	26-35	4	70	2,16	C-E-D	5060102406001254	1105	3768	1437	4898	17.99	20.97	0.09	790X1289X87									
5060102406001328	680 x 1330	18	52	545	52-61	78-87	26-35	4	70	2,28	C-E-D	5060102406001328	1170	3990	1521	5187	19.02	22.12	0.10	790X1363X87									
5060102406001402	680 x 1400	19	52	545	52-61	78-87	26-35	4	70	2,40	C	5060102406001402	1235	4211	1606	5475	20.05	23.26	0.10	790X1437X87									
5060102406001476	680 x 1480	20	52	545	52-61	78-87	26-35	4	70	2,53	C	5060102406001476	1300	4433	1690	5763	21.09	24.42	0.11	790X1511X87									
5060102406001550	680 x 1550	21	52	545	52-61	78-87	26-35	4	70	2,65	C	5060102406001550	1365	4655	1775	6051	22.12	25.56	0.11	790X1585X87									
5060102406001624	680 x 1620	22	52	545	52-61	78-87	26-35	4	70	2,78	C	5060102406001624	1430	4876	1859	6339	23.16	26.73	0.12	790X1659X87									
5060102406001698	680 x 1700	23	52	545	52-61	78-87	26-35	4	70	2,90	C	5060102406001698	1495	5098	1944	6627	24.19	27.88	0.12	790X1733X87									
5060102406001772	680 x 1770	24	52	545	52-61	78-87	26-35	4	70	3,02	C	5060102406001772	1560	5320	2028	6915	25.22	29.02	0.13	790X1807X87									
5060102406001846	680 x 1850	25	52	545	52-61	78-87	26-35	4	70	3,15	C	5060102406001846	1625	5541	2113	7204	26.26	30.19	0.13	790X1881X87									
5060102406001920	680 x 1920	26	52	545	52-61	78-87	26-35	4	70	3,27	C	5060102406001920	1690	5763	2197	7492	27.29	31.33	0.14	790X1955X87									
5060102406001994	680 x 1990	27	52	545	52-61	78-87	26-35	4	70	3,40	C	5060102406001994	1755	5985	2282	7780	28.33	32.49	0.14	790X2029X87									
5060102407000218	780 x 220	3	52	645	52-61	78-87	26-35	4	70	0,45	C	5060102407000218	223	759	289	987	3.79	5.05	0.02	890X253X87									
5060102407000292	780 x 290	4	52	645	52-61	78-87	26-35	4	70	0,58	C	5060102407000292	297	1012	386	1316	4.96	6.34	0.03	890X327X87									
5060102407000366	780 x 370	5	52	645	52-61	78-87	26-35	4	70	0,72	C	5060102407000366	371	1265	482	1645	6.14	7.66	0.04	890X401X87									
5060102407000440	780 x 440	6	52	645	52-61	78-87	26-35	4	70	0,86	C-E-D	5060102407000440	445	1518	579	1973	7.30	8.95	0.04	890X475X87									
5060102407000514	780 x 510	7	52	645	52-61	78-87	26-35	4	70	1,00	C-E-D	5060102407000514	519	1771	675	2302	8.48	10.26	0.05	890X549X87									
5060102407000588	780 x 590	8	52	645	52-61	78-87	26-35	4	70	1,14	C-E-D	5060102407000588	594	2024	772	2631	9.65	11.56	0.05	890X623X87									
5060102407000662	780 x 660	9	52	645	52-61	78-87	26-35	4	70	1,28	C-E-D	5060102407000662	668	2277	868	2960	10.83	13.03	0.06	890X697X87									
5060102407000736	780 x 740	10	52	645	52-61	78-87	26-35	4	70	1,42	C-E-D	5060102407000736	742	2530	965	3289	12.00	14.33	0.06	890X771X87									
5060102407000810	780 x 810	11	52	645	52-61	78-87	26-35	4	70	1,55	C-E-D	5060102407000810	816	2783	1061	3618	13.17	15.64	0.07	890X845X87									
5060102407000884	780 x 880	12	52	645	52-61	78-87	26-35	4	70	1,69	C-E-D	5060102407000884	890	3036	1157	3947	14.34	16.93	0.08	890X919X87									
5060102407000958	780 x 960	13	52	645	52-61	78-87	26-35	4	70	1,83	C-E-D	5060102407000958	965	3289	1254	4276	15.51	18.24	0.08	890X993X87									
5060102407001032	780 x 1030	14	52	645	52-61	78-87	26-35	4	70	1,98	C-E-D	5060102407001032	1039	3542	1350	4605	16.82	19.68	0.09	890X1067X87									
5060102407001106	780 x 1110	15	52	645	52-61	78-87	26-35	4	70	2,12	C-E-D	5060102407001106	1113	3795	1447	4934	18.00	20.99	0.09	890X1141X87									
5060102407001180	780 x 1180	16	52	645	52-61	78-87	26-35	4	70	2,26	C-E-D	5060102407001180	1187	4048	1543	5263	19.17	22.30	0.10	890X1215X87									
5060102407001254	780 x 1250	17	52	645	52-61	78-87	26-35	4	70	2,40	C-E-D	5060102407001254	1261	4301	1640	5591	20.35	23.60	0.10	890X1289X87									
5060102407001328	780 x 1330	18	52	645	52-61	78-87	26-35	4	70	2,54	C-E-D	5060102407001328	1336	4554	1736	5920	21.51	24.89	0.11	890X1363X87									
5060102407001402	780 x 1400	19	52	645	52-61	78-87	26-35	4	70	2,68	C	5060102407001402	1410	4807	1833	6249	22.69	26.20	0.12	890X1437X87									
5060102407001476	780 x 1480	20	52	645	52-61	78-87	26-35	4	70	2,81	C	5060102407001476	1484	5060	1929	6578	23.86	27.50	0.12	890X1511X87									
5060102407001550	780 x 1550	21	52	645	52-61	78-87	26-35	4	70	2,95	C	5060102407001550	1558	5313	2026	6907	25.04	28.82	0.13	890X1585X87									
5060102407001624	780 x 1620	22	52	645	52-61	78-87	26-35	4	70	3,09	C	5060102407001624	1632	5566	2122	7236	26.21	30.12	0.13	890X1659X87									
5060102407001698	780 x 1700	23	52	645	52-61	78-87	26-35	4	70	3,23	C	5060102407001698	1707	5819	2218	7565	27.38	31.42	0.14	890X1733X87									
5060102407001772	780 x 1770	24	52	645	52-61	78-87	26-35	4	70	3,37	C	5060102407001772	1781	6072	2315	7894	28.55	32.72	0.14	890X1807X87									
5060102407001846	780 x 1850	25	52	645	52-61	78-87	26-35	4	70	3,51	C	5060102407001846	1855	6325	2411	822													

ROYAL DOUBLE LUX		TECHNICAL INFORMATION										(For connection types, please refer to the last page)				HEAT OUTPUTS INFORMATION				LOGISTICS INFORMATION			
MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type	MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)			
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L			Watt	Btu	Watt	Btu	kg	kg	m³	mm			
5060102409001106	980 x 1110	15	52	845	52-61	78-87	26-35	4	70	2.55	C-E-D	5060102409001106	1370	4671	1781	6072	22.16	25.64	0.11	1090X1141X87			
5060102409001180	980 x 1180	16	52	845	52-61	78-87	26-35	4	70	2.72	C-E-D	5060102409001180	1461	4982	1899	6477	23.61	27.25	0.12	1090X1215X87			
5060102409001254	980 x 1250	17	52	845	52-61	78-87	26-35	4	70	2.88	C-E-D	5060102409001254	1552	5294	2018	6882	25.06	28.86	0.13	1090X1289X87			
5060102409001328	980 x 1330	18	52	845	52-61	78-87	26-35	4	70	3.05	C-E-D	5060102409001328	1644	5605	2137	7287	26.51	30.46	0.13	1090X1363X87			
5060102409001402	980 x 1400	19	52	845	52-61	78-87	26-35	4	70	3.22	C	5060102409001402	1735	5916	2256	7691	27.96	32.07	0.14	1090X1437X87			
5060102409001476	980 x 1480	20	52	845	52-61	78-87	26-35	4	70	3.39	C	5060102409001476	1826	6228	2374	8096	29.41	33.69	0.15	1090X1511X87			
5060102409001550	980 x 1550	21	52	845	52-61	78-87	26-35	4	70	3.55	C	5060102409001550	1918	6539	2493	8501	30.86	35.29	0.16	1090X1585X87			
5060102409001624	980 x 1620	22	52	845	52-61	78-87	26-35	4	70	3.72	C	5060102409001624	2009	6851	2612	8906	32.31	36.90	0.16	1090X1659X87			
5060102409001698	980 x 1700	23	52	845	52-61	78-87	26-35	4	70	3.89	C	5060102409001698	2100	7162	2730	9311	33.76	38.50	0.17	1090X1733X87			
5060102409001772	980 x 1770	24	52	845	52-61	78-87	26-35	4	70	4.05	C	5060102409001772	2192	7473	2849	9715	35.21	40.11	0.18	1090X1807X87			
5060102409001846	980 x 1850	25	52	845	52-61	78-87	26-35	4	70	4.22	C	5060102409001846	2283	7785	2968	10120	36.66	41.73	0.18	1090X1881X87			
5060102409001920	980 x 1920	26	52	845	52-61	78-87	26-35	4	70	4.39	C	5060102409001920	2374	8096	3087	10525	38.11	43.33	0.19	1090X1955X87			
5060102409001994	980 x 1990	27	52	845	52-61	78-87	26-35	4	70	4.55	C	5060102409001994	2466	8408	3205	10930	39.56	44.94	0.20	1090X2029X87			
5060102410000218	1080 x 220	3	52	945	52-61	78-87	26-35	4	70	0.58	C	5060102410000218	298	1016	387	1320	5.04	6.56	0.03	1190X253X87			
5060102410000292	1080 x 290	4	52	945	52-61	78-87	26-35	4	70	0.76	C	5060102410000292	397	1354	516	1760	6.63	8.32	0.04	1190X327X87			
5060102410000366	1080 x 370	5	52	945	52-61	78-87	26-35	4	70	0.94	C	5060102410000366	496	1693	645	2200	8.22	10.08	0.05	1190X401X87			
5060102410000440	1080 x 440	6	52	945	52-61	78-87	26-35	4	70	1.12	C-E-D	5060102410000440	596	2031	774	2640	9.80	11.83	0.05	1190X475X87			
5060102410000514	1080 x 510	7	52	945	52-61	78-87	26-35	4	70	1.30	C-E-D	5060102410000514	695	2370	903	3081	11.39	13.61	0.06	1190X549X87			
5060102410000588	1080 x 590	8	52	945	52-61	78-87	26-35	4	70	1.48	C-E-D	5060102410000588	794	2708	1032	3521	12.98	15.35	0.07	1190X623X87			
5060102410000662	1080 x 660	9	52	945	52-61	78-87	26-35	4	70	1.66	C-E-D	5060102410000662	893	3047	1161	3961	14.57	17.28	0.08	1190X697X87			
5060102410000736	1080 x 740	10	52	945	52-61	78-87	26-35	4	70	1.84	C-E-D	5060102410000736	993	3385	1291	4401	16.16	19.03	0.08	1190X771X87			
5060102410000810	1080 x 810	11	52	945	52-61	78-87	26-35	4	70	2.03	C-E-D	5060102410000810	1092	3724	1420	4841	17.75	20.81	0.09	1190X845X87			
5060102410000884	1080 x 880	12	52	945	52-61	78-87	26-35	4	70	2.21	C-E-D	5060102410000884	1191	4062	1549	5281	19.33	22.55	0.10	1190X919X87			
5060102410000958	1080 x 960	13	52	945	52-61	78-87	26-35	4	70	2.39	C-E-D	5060102410000958	1291	4401	1678	5721	20.92	24.31	0.11	1190X993X87			
5060102410001032	1080 x 1030	14	52	945	52-61	78-87	26-35	4	70	2.58	C-E-D	5060102410001032	1390	4739	1807	6161	22.65	26.22	0.12	1190X1067X87			
5060102410001106	1080 x 1110	15	52	945	52-61	78-87	26-35	4	70	2.77	C-E-D	5060102410001106	1489	5078	1936	6601	24.24	27.98	0.12	1190X1141X87			
5060102410001180	1080 x 1180	16	52	945	52-61	78-87	26-35	4	70	2.95	C-E-D	5060102410001180	1588	5416	2065	7041	25.83	29.74	0.13	1190X1215X87			
5060102410001254	1080 x 1250	17	52	945	52-61	78-87	26-35	4	70	3.13	C-E-D	5060102410001254	1688	5755	2194	7481	27.42	31.51	0.14	1190X1289X87			
5060102410001328	1080 x 1320	18	52	945	52-61	78-87	26-35	4	70	3.31	C-E-D	5060102410001328	1787	6093	2323	7921	29.00	33.25	0.15	1190X1363X87			
5060102410001402	1080 x 1400	19	52	945	52-61	78-87	26-35	4	70	3.49	C	5060102410001402	1886	6432	2452	8361	30.59	35.02	0.15	1190X1437X87			
5060102410001476	1080 x 1480	20	52	945	52-61	78-87	26-35	4	70	3.67	C	5060102410001476	1985	6770	2581	8801	32.18	36.77	0.16	1190X1511X87			
5060102410001550	1080 x 1550	21	52	945	52-61	78-87	26-35	4	70	3.85	C	5060102410001550	2085	7109	2710	9242	33.77	38.54	0.17	1190X1585X87			
5060102410001624	1080 x 1620	22	52	945	52-61	78-87	26-35	4	70	4.03	C	5060102410001624	2184	7447	2839	9682	35.36	40.30	0.18	1190X1659X87			
5060102410001698	1080 x 1700	23	52	945	52-61	78-87	26-35	4	70	4.22	C	5060102410001698	2283	7786	2968	10122	36.95	42.05	0.18	1190X1733X87			
5060102410001772	1080 x 1770	24	52	945	52-61	78-87	26-35	4	70	4.40	C	5060102410001772	2383	8124	3097	10562	38.54	43.82	0.19	1190X1807X87			
5060102410001846	1080 x 1850	25	52	945	52-61	78-87	26-35	4	70	4.58	C	5060102410001846	2482	8463	3226	11002	40.13	45.58	0.20	1190X1881X87			
5060102410001920	1080 x 1920	26	52	945	52-61	78-87	26-35	4	70	4.76	C	5060102410001920	2581	8801	3355	11442	41.72	47.35	0.21	1190X1955X87			
5060102410001994	1080 x 1990	27	52	945	52-61	78-87	26-35	4	70	4.94	C	5060102410001994	2680	9140	3484	11882	43.31	49.10	0.22	1190X2029X87			
5060102412000218	1280 x 220	3	52	1145	52-61	78-87	26-35	4	70	0.66	C	5060102412000218	342	1166	445	1516	5.87	7.57	0.04	1390X253X87			
5060102412000292	1280 x 290	4	52	1145	52-61	78-87	26-35	4	70	0.87	C	5060102412000292	456	1555	593	2021	7.74	9.64	0.04	1390X327X87			
5060102412000366	1280 x 370	5	52	1145	52-61	78-87	26-35	4	70	1.08	C	5060102412000366	570	1943	741	2526	9.61	11.69	0.05	1390X401X87			
5060102412000440	1280 x 440	6	52	1145	52-61	78-87	26-35	4	70	1.29	C-E-D	5060102412000440	684	2332	889	3032	11.46	13.75	0.06	1390X475X87			
5060102412000514	1280 x 510	7	52	1145	52-61	78-87	26-35	4	70	1.50	C-E-D	5060102412000514	798	2721	1037	3537	13.33	15.81	0.07	1390X549X87			
5060102412000588	1280 x 590	8	52	1145	52-61	78-87	26-35	4	70	1.71	C-E-D	5060102412000588	912	3109	1185	4042	15.20	17.89	0.08	1390X623X87			
5060102412000662	1280 x 660	9	52	1145	52-61	78-87	26-35	4	70	1.92	C-E-D	5060102412000662	1026	3498	1334	4548	17.07	20.12	0.09	1390X697X87			
5060102412000736	1280 x 740	10	52	1145	52-61	78-87	26-35	4	70	2.13	C-E-D	5060102412000736	1140	3887	1482	5053	18.94	22.18	0.10	1390X771X87			
5060102412000810	1280 x 810	11	52	1145	52-61	78-87	26-35	4	70	2.34	C-E-D	5060102412000810	1254	4275	1630	5558	20.80	24.24	0.11	1390X845X87			
5060102412000884	1280 x 880	12	52	1145	52-61	78-87	26-35	4	70	2.55	C-E-D	5060102412000884	1368	4664	1778	6063	22.66	26.30	0.12	1390X919X87			
5060102412000958	1280 x 960	13	52	1145	52-61	78-87	26-35	4	70	2.76	C-E-D	5060102412000958	1482	5053	1926	6569	24.53	28.36	0.13	1390X993X87			
5060102412001032	1280 x 1030	14	52	1145	52-61	78-87	26-35	4	70	2.98	C-E-D	5060102412001032	1596	5441	2074	7074	26.53	30.56	0.13	1390X1067X87			
5060102412001106	1280 x 1110	15	52	1145	52-61	78-87	26-35	4	70	3.19	C-E-D	5060102412001106	1710	5830	2223	7579	28.40	32.63	0.14	1390X1141X87			
5060102412001180	1280 x 1180	16	52	1145	52-61	78-87	26-35	4	70	3.40	C-E-D	5060102412001180	1824	6219	2371	8084	30.27	34.70	0.15	1390X1215X87			
5060102412001254	1280 x 1250	17	52	1145	52-61	78-87	26-35	4	70	3.61	C-E-D	5060102412001254	1938	6607	2519	8590	32.14	36.77	0.16	1390X12			

ROYAL DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
				✓	✓	✓	✓	✓	✓		

SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
mm	Watt	Btu	Watt	Btu

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m ³	mm