

SIESTA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060102503000286	380 x 290	5	75	245	63-72	100-109	26-35	9	50	0,39	C
5060102503000345	380 x 350	6	75	245	63-72	100-109	26-35	9	50	0,46	C
5060102503000404	380 x 400	7	75	245	63-72	100-109	26-35	9	50	0,54	C-E-D
5060102503000463	380 x 460	8	75	245	63-72	100-109	26-35	9	50	0,61	C-E-D
5060102503000522	380 x 520	9	75	245	63-72	100-109	26-35	9	50	0,68	C-E-D
5060102503000581	380 x 580	10	75	245	63-72	100-109	26-35	9	50	0,76	C-E-D
5060102503000640	380 x 640	11	75	245	63-72	100-109	26-35	9	50	0,83	C-E-D
5060102503000699	380 x 700	12	75	245	63-72	100-109	26-35	9	50	0,90	C-E-D
5060102503000758	380 x 760	13	75	245	63-72	100-109	26-35	9	50	0,97	C-E-D
5060102503000817	380 x 820	14	75	245	63-72	100-109	26-35	9	50	1,05	C-E-D
5060102503000876	380 x 880	15	75	245	63-72	100-109	26-35	9	50	1,12	C-E-D
5060102503000935	380 x 940	16	75	245	63-72	100-109	26-35	9	50	1,19	C-E-D
5060102503000994	380 x 990	17	75	245	63-72	100-109	26-35	9	50	1,26	C-E-D
5060102503001053	380 x 1050	18	75	245	63-72	100-109	26-35	9	50	1,35	C-E-D
5060102503001112	380 x 1110	19	75	245	63-72	100-109	26-35	9	50	1,42	C-E-D
5060102503001171	380 x 1170	20	75	245	63-72	100-109	26-35	9	50	1,50	C-E-D
5060102503001230	380 x 1230	21	75	245	63-72	100-109	26-35	9	50	1,57	C-E-D
5060102503001289	380 x 1290	22	75	245	63-72	100-109	26-35	9	50	1,64	C-E-D
5060102503001348	380 x 1350	23	75	245	63-72	100-109	26-35	9	50	1,72	C-E-D
5060102503001407	380 x 1410	24	75	245	63-72	100-109	26-35	9	50	1,79	C
5060102503001466	380 x 1470	25	75	245	63-72	100-109	26-35	9	50	1,86	C
5060102503001525	380 x 1530	26	75	245	63-72	100-109	26-35	9	50	1,93	C
5060102503001584	380 x 1580	27	75	245	63-72	100-109	26-35	9	50	2,01	C
5060102503001643	380 x 1640	28	75	245	63-72	100-109	26-35	9	50	2,08	C
5060102503001702	380 x 1700	29	75	245	63-72	100-109	26-35	9	50	2,15	C
5060102503001761	380 x 1760	30	75	245	63-72	100-109	26-35	9	50	2,22	C
5060102503001820	380 x 1820	31	75	245	63-72	100-109	26-35	9	50	2,30	C
5060102503001879	380 x 1880	32	75	245	63-72	100-109	26-35	9	50	2,37	C
5060102503001938	380 x 1940	33	75	245	63-72	100-109	26-35	9	50	2,44	C
5060102503001997	380 x 2000	34	75	245	63-72	100-109	26-35	9	50	2,52	C
5060102504000286	480 x 290	5	75	345	63-72	100-109	26-35	9	50	0,46	C
5060102504000345	480 x 350	6	75	345	63-72	100-109	26-35	9	50	0,55	C
5060102504000404	480 x 400	7	75	345	63-72	100-109	26-35	9	50	0,64	C-E-D
5060102504000463	480 x 460	8	75	345	63-72	100-109	26-35	9	50	0,72	C-E-D
5060102504000522	480 x 520	9	75	345	63-72	100-109	26-35	9	50	0,81	C-E-D
5060102504000581	480 x 580	10	75	345	63-72	100-109	26-35	9	50	0,90	C-E-D
5060102504000640	480 x 640	11	75	345	63-72	100-109	26-35	9	50	0,99	C-E-D
5060102504000699	480 x 700	12	75	345	63-72	100-109	26-35	9	50	1,07	C-E-D
5060102504000758	480 x 760	13	75	345	63-72	100-109	26-35	9	50	1,16	C-E-D
5060102504000817	480 x 820	14	75	345	63-72	100-109	26-35	9	50	1,25	C-E-D
5060102504000876	480 x 880	15	75	345	63-72	100-109	26-35	9	50	1,33	C-E-D
5060102504000935	480 x 940	16	75	345	63-72	100-109	26-35	9	50	1,42	C-E-D
5060102504000994	480 x 990	17	75	345	63-72	100-109	26-35	9	50	1,51	C-E-D
5060102504001053	480 x 1050	18	75	345	63-72	100-109	26-35	9	50	1,61	C-E-D
5060102504001112	480 x 1110	19	75	345	63-72	100-109	26-35	9	50	1,70	C-E-D
5060102504001171	480 x 1170	20	75	345	63-72	100-109	26-35	9	50	1,78	C-E-D
5060102504001230	480 x 1230	21	75	345	63-72	100-109	26-35	9	50	1,87	C-E-D
5060102504001289	480 x 1290	22	75	345	63-72	100-109	26-35	9	50	1,96	C-E-D
5060102504001348	480 x 1350	23	75	345	63-72	100-109	26-35	9	50	2,04	C-E-D
5060102504001407	480 x 1410	24	75	345	63-72	100-109	26-35	9	50	2,13	C
5060102504001466	480 x 1470	25	75	345	63-72	100-109	26-35	9	50	2,22	C
5060102504001525	480 x 1530	26	75	345	63-72	100-109	26-35	9	50	2,31	C
5060102504001584	480 x 1580	27	75	345	63-72	100-109	26-35	9	50	2,39	C
5060102504001643	480 x 1640	28	75	345	63-72	100-109	26-35	9	50	2,48	C
5060102504001702	480 x 1700	29	75	345	63-72	100-109	26-35	9	50	2,57	C
5060102504001761	480 x 1760	30	75	345	63-72	100-109	26-35	9	50	2,65	C
5060102504001820	480 x 1820	31	75	345	63-72	100-109	26-35	9	50	2,74	C
5060102504001879	480 x 1880	32	75	345	63-72	100-109	26-35	9	50	2,83	C
5060102504001938	480 x 1940	33	75	345	63-72	100-109	26-35	9	50	2,91	C
5060102504001997	480 x 2000	34	75	345	63-72	100-109	26-35	9	50	3,00	C
5060102505000286	580 x 290	5	75	445	63-72	100-109	26-35	9	50	0,54	C
5060102505000345	580 x 350	6	75	445	63-72	100-109	26-35	9	50	0,64	C
5060102505000404	580 x 400	7	75	445	63-72	100-109	26-35	9	50	0,74	C-E-D
5060102505000463	580 x 460	8	75	445	63-72	100-109	26-35	9	50	0,84	C-E-D
5060102505000522	580 x 520	9	75	445	63-72	100-109	26-35	9	50	0,94	C-E-D
5060102505000581	580 x 580	10	75	445	63-72	100-109	26-35	9	50	1,04	C-E-D
5060102505000640	580 x 640	11	75	445	63-72	100-109	26-35	9	50	1,14	C-E-D
5060102505000699	580 x 700	12	75	445	63-72	100-109	26-35	9	50	1,24	C-E-D
5060102505000758	580 x 760	13	75	445	63-72	100-109	26-35	9	50	1,35	C-E-D
5060102505000817	580 x 820	14	75	445	63-72	100-109	26-35	9	50	1,45	C-E-D
5060102505000876	580 x 880	15	75	445	63-72	100-109	26-35	9	50	1,55	C-E-D
5060102505000935	580 x 940	16	75	445	63-72	100-109	26-35	9	50	1,65	C-E-D
5060102505000994	580 x 990	17	75	445	63-72	100-109	26-35	9	50	1,75	C-E-D
5060102505001053	580 x 1050	18	75	445	63-72	100-109	26-35	9	50	1,87	C-E-D
5060102505001112	580 x 1110	19	75	445	63-72	100-109	26-35	9	50	1,97	C-E-D
5060102505001171	580 x 1170	20	75	445	63-72	100-109	26-35	9	50	2,07	C-E-D
5060102505001230	580 x 1230	21	75	445	63-72	100-109	26-35	9	50	2,17	C-E-D
5060102505001289	580 x 1290	22	75	445	63-72	100-109	26-35	9	50	2,27	C-E-D
5060102505001348	580 x 1350	23	75	445	63-72	100-109	26-35	9	50	2,37	C-E-D
5060102505001407	580 x 1410	24	75	445	63-72	100-109	26-35	9	50	2,47	C
5060102505001466	580 x 1470	25	75	445	63-72	100-109	26-35	9	50	2,58	C

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5060102503000286		155	528	201	686
5060102503000345		186	634	242	824
5060102503000404		217	739	282	961
5060102503000463		248	845	322	1098
5060102503000522		279	950	362	1236
5060102503000581		310	1056	403	1373
5060102503000640		341	1162	443	1510
5060102503000699		372	1267	483	1647
5060102503000758		403	1373	523	1785
5060102503000817		434	1479	564	1922
5060102503000876		465	1584	604	2059
5060102503000935		496	1690	644	2197
5060102503000994		526	1795	684	2334
5060102503001053		557	1901	725	2471
5060102503001112		588	2007	765	2608
5060102503001171		619	2112	805	2746
5060102503001230		650	2218	845	2883
5060102503001289		681	2323	886	3020
5060102503001348		712	2429	926	3158
5060102503001407		743	2535	966	3295
5060102503001466		774	2640	1007	3432
5060102503001525		805	2746	1047	3570
5060102503001584		836	2851	1087	3707
5060102503001643		867	2957	1127	3844
5060102503001702		898	3063	1168	3981
5060102503001761		929	3168	1208	4119
5060102503001820		960	3274	1248	4256
5060102503001879		991	3379	1288	4393
5060102503001938		1022	3485	1329	4531
5060102503001997		1053	3591	1369	4668
5060102504000286		211	720	274	935
5060102504000345		253	864	329	1123
5060102504000404		295	1007	384	1310
5060102504000463		338	1151	439	1497
5060102504000522		380	1295	494	1684
5060102504000581		422	1439	549	1871
5060102504000640		464	1583	604	2058
5060102504000699		506	1727	658	2245
5060102504000758		549	1871	713	2432
5060102504000817		591	2015	768	2619
5060102504000876		633	2159	823	2806
5060102504000935		675	2303	878	2994
5060102504000994		717	2447	933	3181
5060102504001053		760	2591	988	3368
5060102504001112		802	2734	1042	3555
5060102504001171		844	2878	1097	3742
5060102504001230		886	3022	1152	3929
5060102504001289		929	3166	1207	4116
5060102504001348		971	3310	1262	4303
5060102504001407		1013	3454	1317	4490
5060102504001466		1055	3598	1372	4677
5060102504001525		1097	3742	1427	4864
5060102504001584		1140	3886	1481	5052
5060102504001643		1182	4030	1536	5239
5060102504001702		1224	4174	1591	5426
5060102504001761		1266	4318	1646	5613
5060102504001820		1308	4461	1701	5800
5060102504001879		1351	4605	1756	5987
5060102504001938		1393	4749	1811	6174
5060102504001997		1435	4893	1865	6361
5060102505000286		270	919	350	1195
5060102505000345		324	1103	421	1434
5060102505000404		377	1287	491	1673
5060102505000463		431	1471	561	1912
5060102505000522		485	1655	631	2151
5060102505000581		539	1839	701	2390
5060102505000640		593	2023	771	2629
5060102505000699		647	2206	841	2868
5060102505000758		701	2390	911	3107
5060102505000817		755	2574	981	3346
5060102505000876		809	2758	1051	3585
5060102505000935		863	2942	1122	3824
5060102505000994		917	3126	1192	4064
5060102505001053		971	3310	1262	4303
5060102505001112		1024	3494	1332	4542
5060102505001171		1078	3677	1402	4781
5060102505001230		1132	3861	1472	5020
5060102505001289		1186	4045	1542	5259
5060102505001348		1240	4229	1612	5498
5060102505001407		1294	4413	1682	5737
5060102505001466		1348	4597	1752	5976

SIESTA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060102505001525	580 x 1530	26	75	445	63-72	100-109	26-35	9	50	2,48	C
5060102505001584	580 x 1580	27	75	445	63-72	100-109	26-35	9	50	2,78	C
5060102505001643	580 x 1640	28	75	445	63-72	100-109	26-35	9	50	2,88	C
5060102505001702	580 x 1700	29	75	445	63-72	100-109	26-35	9	50	2,98	C
5060102505001761	580 x 1760	30	75	445	63-72	100-109	26-35	9	50	3,08	C
5060102505001820	580 x 1820	31	75	445	63-72	100-109	26-35	9	50	3,18	C
5060102505001879	580 x 1880	32	75	445	63-72	100-109	26-35	9	50	3,29	C
5060102505001938	580 x 1940	33	75	445	63-72	100-109	26-35	9	50	3,39	C
5060102505001997	580 x 2000	34	75	445	63-72	100-109	26-35	9	50	3,49	C
5060102506000286	680 x 290	5	75	545	63-72	100-109	26-35	9	50	0,61	C
5060102506000345	680 x 350	6	75	545	63-72	100-109	26-35	9	50	0,72	C
5060102506000404	680 x 400	7	75	545	63-72	100-109	26-35	9	50	0,84	C-E-D
5060102506000463	680 x 460	8	75	545	63-72	100-109	26-35	9	50	0,95	C-E-D
5060102506000522	680 x 520	9	75	545	63-72	100-109	26-35	9	50	1,07	C-E-D
5060102506000581	680 x 580	10	75	545	63-72	100-109	26-35	9	50	1,18	C-E-D
5060102506000640	680 x 640	11	75	545	63-72	100-109	26-35	9	50	1,30	C-E-D
5060102506000699	680 x 700	12	75	545	63-72	100-109	26-35	9	50	1,42	C-E-D
5060102506000758	680 x 760	13	75	545	63-72	100-109	26-35	9	50	1,53	C-E-D
5060102506000817	680 x 820	14	75	545	63-72	100-109	26-35	9	50	1,65	C-E-D
5060102506000876	680 x 880	15	75	545	63-72	100-109	26-35	9	50	1,76	C-E-D
5060102506000935	680 x 940	16	75	545	63-72	100-109	26-35	9	50	1,88	C-E-D
5060102506000994	680 x 990	17	75	545	63-72	100-109	26-35	9	50	1,99	C-E-D
5060102506001053	680 x 1050	18	75	545	63-72	100-109	26-35	9	50	2,12	C-E-D
5060102506001112	680 x 1110	19	75	545	63-72	100-109	26-35	9	50	2,24	C-E-D
5060102506001171	680 x 1170	20	75	545	63-72	100-109	26-35	9	50	2,36	C-E-D
5060102506001230	680 x 1230	21	75	545	63-72	100-109	26-35	9	50	2,47	C-E-D
5060102506001289	680 x 1290	22	75	545	63-72	100-109	26-35	9	50	2,59	C-E-D
5060102506001348	680 x 1350	23	75	545	63-72	100-109	26-35	9	50	2,70	C-E-D
5060102506001407	680 x 1410	24	75	545	63-72	100-109	26-35	9	50	2,82	C
5060102506001466	680 x 1470	25	75	545	63-72	100-109	26-35	9	50	2,93	C
5060102506001525	680 x 1530	26	75	545	63-72	100-109	26-35	9	50	3,05	C
5060102506001584	680 x 1580	27	75	545	63-72	100-109	26-35	9	50	3,16	C
5060102506001643	680 x 1640	28	75	545	63-72	100-109	26-35	9	50	3,28	C
5060102506001702	680 x 1700	29	75	545	63-72	100-109	26-35	9	50	3,40	C
5060102506001761	680 x 1760	30	75	545	63-72	100-109	26-35	9	50	3,51	C
5060102506001820	680 x 1820	31	75	545	63-72	100-109	26-35	9	50	3,63	C
5060102506001879	680 x 1880	32	75	545	63-72	100-109	26-35	9	50	3,74	C
5060102506001938	680 x 1940	33	75	545	63-72	100-109	26-35	9	50	3,86	C
5060102506001997	680 x 2000	34	75	545	63-72	100-109	26-35	9	50	3,97	C
5060102507000286	780 x 290	5	75	645	63-72	100-109	26-35	9	50	0,68	C
5060102507000345	780 x 350	6	75	645	63-72	100-109	26-35	9	50	0,81	C
5060102507000404	780 x 400	7	75	645	63-72	100-109	26-35	9	50	0,94	C-E-D
5060102507000463	780 x 460	8	75	645	63-72	100-109	26-35	9	50	1,07	C-E-D
5060102507000522	780 x 520	9	75	645	63-72	100-109	26-35	9	50	1,20	C-E-D
5060102507000581	780 x 580	10	75	645	63-72	100-109	26-35	9	50	1,33	C-E-D
5060102507000640	780 x 640	11	75	645	63-72	100-109	26-35	9	50	1,46	C-E-D
5060102507000699	780 x 700	12	75	645	63-72	100-109	26-35	9	50	1,59	C-E-D
5060102507000758	780 x 760	13	75	645	63-72	100-109	26-35	9	50	1,72	C-E-D
5060102507000817	780 x 820	14	75	645	63-72	100-109	26-35	9	50	1,85	C-E-D
5060102507000876	780 x 880	15	75	645	63-72	100-109	26-35	9	50	1,98	C-E-D
5060102507000935	780 x 940	16	75	645	63-72	100-109	26-35	9	50	2,11	C-E-D
5060102507000994	780 x 990	17	75	645	63-72	100-109	26-35	9	50	2,24	C-E-D
5060102507001053	780 x 1050	18	75	645	63-72	100-109	26-35	9	50	2,38	C-E-D
5060102507001112	780 x 1110	19	75	645	63-72	100-109	26-35	9	50	2,51	C-E-D
5060102507001171	780 x 1170	20	75	645	63-72	100-109	26-35	9	50	2,64	C-E-D
5060102507001230	780 x 1230	21	75	645	63-72	100-109	26-35	9	50	2,77	C-E-D
5060102507001289	780 x 1290	22	75	645	63-72	100-109	26-35	9	50	2,90	C-E-D
5060102507001348	780 x 1350	23	75	645	63-72	100-109	26-35	9	50	3,03	C-E-D
5060102507001407	780 x 1410	24	75	645	63-72	100-109	26-35	9	50	3,16	C
5060102507001466	780 x 1470	25	75	645	63-72	100-109	26-35	9	50	3,29	C
5060102507001525	780 x 1530	26	75	645	63-72	100-109	26-35	9	50	3,42	C
5060102507001584	780 x 1580	27	75	645	63-72	100-109	26-35	9	50	3,55	C
5060102507001643	780 x 1640	28	75	645	63-72	100-109	26-35	9	50	3,68	C
5060102507001702	780 x 1700	29	75	645	63-72	100-109	26-35	9	50	3,81	C
5060102507001761	780 x 1760	30	75	645	63-72	100-109	26-35	9	50	3,94	C
5060102507001820	780 x 1820	31	75	645	63-72	100-109	26-35	9	50	4,07	C
5060102507001879	780 x 1880	32	75	645	63-72	100-109	26-35	9	50	4,20	C
5060102507001938	780 x 1940	33	75	645	63-72	100-109	26-35	9	50	4,33	C
5060102507001997	780 x 2000	34	75	645	63-72	100-109	26-35	9	50	4,46	C
5060102508000286	880 x 290	5	75	745	63-72	100-109	26-35	9	50	0,75	C
5060102508000345	880 x 350	6	75	745	63-72	100-109	26-35	9	50	0,89	C
5060102508000404	880 x 400	7	75	745	63-72	100-109	26-35	9	50	1,04	C-E-D
5060102508000463	880 x 460	8	75	745	63-72	100-109	26-35	9	50	1,18	C-E-D
5060102508000522	880 x 520	9	75	745	63-72	100-109	26-35	9	50	1,33	C-E-D
5060102508000581	880 x 580	10	75	745	63-72	100-109	26-35	9	50	1,47	C-E-D
5060102508000640	880 x 640	11	75	745	63-72	100-109	26-35	9	50	1,61	C-E-D
5060102508000699	880 x 700	12	75	745	63-72	100-109	26-35	9	50	1,76	C-E-D
5060102508000758	880 x 760	13	75	745	63-72	100-109	26-35	9	50	1,90	C-E-D
5060102508000817	880 x 820	14	75	745	63-72	100-109	26-35	9	50	2,05	C-E-D
5060102508000876	880 x 880	15	75	745	63-72	100-109	26-35	9	50	2,19	C-E-D
5060102508000935	880 x 940	16	75	745	63-72	100-109	26-35	9	50	2,34	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C		
	mm	Watt	Btu	Watt	Btu
5060102505001525	1402	4781	1823	6215	
5060102505001584	1456	4964	1893	6454	
5060102505001643	1510	5148	1963	6693	
5060102505001702	1564	5332	2033	6932	
5060102505001761	1618	5516	2103	7171	
5060102505001820	1672	5700	2173	7410	
5060102505001879	1725	5884	2243	7649	
5060102505001938	1779	6068	2313	7888	
5060102505001997	1833	6252	2383	8127	
5060102506000286	331	1128	430	1466	
5060102506000345	397	1353	516	1759	
5060102506000404	463	1579	602	2052	
5060102506000463	529	1804	688	2345	
5060102506000522	595	2030	774	2639	
5060102506000581	661	2255	860	2932	
5060102506000640	727	2481	946	3225	
5060102506000699	794	2706	1032	3518	
5060102506000758	860	2932	1118	3811	
5060102506000817	926	3157	1204	4104	
5060102506000876	992	3383	1290	4398	
5060102506000935	1058	3608	1376	4691	
5060102506000994	1124	3834	1462	4984	
5060102506001053	1190	4059	1548	5277	
5060102506001112	1257	4285	1633	5570	
5060102506001171	1323	4510	1719	5863	
5060102506001230	1389	4736	1805	6157	
5060102506001289	1455	4961	1891	6450	
5060102506001348	1521	5187	1977	6743	
5060102506001407	1587	5412	2063	7036	
5060102506001466	1653	5638	2149	7329	
5060102506001525	1719	5863	2235	7622	
5060102506001584	1786	6089	2321	7916	
5060102506001643	1852	6314	2407	8209	
5060102506001702	1918	6540	2493	8502	
5060102506001761	1984	6765	2579	8795	
5060102506001820	2050	6991	2665	9088	
5060102506001879	2116	7216	2751	9381	
5060102506001938	2182	7442	2837	9675	
5060102506001997	2249	7667	2923	9968	
5060102507000286	377	1287	491	1673	
5060102507000345	453	1545	589	2008	
5060102507000404	528	1802	687	2343	
5060102507000463	604	2059	785	2677	
5060102507000522	679	2317	883	3012	
5060102507000581	755	2574	981	3346	
5060102507000640	830	2832	1079	3681	
5060102507000699	906	3089	1178	4016	
5060102507000758	981	3346	1276	4350	
5060102507000817	1057	3604	1374	4685	
5060102507000876	1132	3861	1472	5020	
5060102507000935	1208	4119	1570	5354	
5060102507000994	1283	4376	1668	5689	
5060102507001053	1359	4633	1766	6024	
5060102507001112	1434	4891	1865	6358	
5060102507001171	1510	5148	1963	6693	
5060102507001230	1585	5406	2061	7027	
5060102507001289	1661	5663	2159	7362	
5060102507001348	1736	5921	2257	7697	
5060102507001407	1812	6178	2355	8031	
5060102507001466	1887	6435	2453	8366	
5060102507001525	1963	6693	2552	8701	
5060102507001584	2038	6950	2650	9035	
5060102507001643	2114	7208	2748	9370	
5060102507001702	2189	7465	2846	9705	
5060102507001761	2265	7722	2944	10039	
5060102507001820	2340	7980	3042	10374	
5060102507001879	2416	8237	3140	10709	
5060102507001938	2491	8495	3238	11043	
5060102507001997	2567	8752	3337	11378	
5060102508000286	422	1439	549	1871	
5060102508000345	506	1727	658	2245	
5060102508000404	591	2015	768	2619	
5060102508000463	675	2303	878	2994	
5060102508000522	760	2591	988	3368	
5060102508000581	844	2878	1097	3742	
5060102508000640	929	3166	1207	4116	
5060102508000699	1013	3454	1317	4490	
5060102508000758	1097	3742	1427	4864	
5060102508000817	1182	4030	1536	5239	
5060102508000876	1266	4318	1646	5613	
5060102508000935	1351	4605	1756	5987	

SIESTA DOUBLE LUX

TECHNICAL INFORMATION

(For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060102508000994	880 x 990	17	75	745	63-72	100-109	26-35	9	50	2,48	C-E-D
5060102508001053	880 x 1050	18	75	745	63-72	100-109	26-35	9	50	2,64	C-E-D
5060102508001112	880 x 1110	19	75	745	63-72	100-109	26-35	9	50	2,78	C-E-D
5060102508001171	880 x 1170	20	75	745	63-72	100-109	26-35	9	50	2,93	C-E-D
5060102508001230	880 x 1230	21	75	745	63-72	100-109	26-35	9	50	3,07	C-E-D
5060102508001289	880 x 1290	22	75	745	63-72	100-109	26-35	9	50	3,22	C-E-D
5060102508001348	880 x 1350	23	75	745	63-72	100-109	26-35	9	50	3,36	C-E-D
5060102508001407	880 x 1410	24	75	745	63-72	100-109	26-35	9	50	3,50	C
5060102508001466	880 x 1470	25	75	745	63-72	100-109	26-35	9	50	3,65	C
5060102508001525	880 x 1530	26	75	745	63-72	100-109	26-35	9	50	3,79	C
5060102508001584	880 x 1580	27	75	745	63-72	100-109	26-35	9	50	3,94	C
5060102508001643	880 x 1640	28	75	745	63-72	100-109	26-35	9	50	4,08	C
5060102508001702	880 x 1700	29	75	745	63-72	100-109	26-35	9	50	4,23	C
5060102508001761	880 x 1760	30	75	745	63-72	100-109	26-35	9	50	4,37	C
5060102508001820	880 x 1820	31	75	745	63-72	100-109	26-35	9	50	4,51	C
5060102508001879	880 x 1880	32	75	745	63-72	100-109	26-35	9	50	4,66	C
5060102508001938	880 x 1940	33	75	745	63-72	100-109	26-35	9	50	4,80	C
5060102508001997	880 x 2000	34	75	745	63-72	100-109	26-35	9	50	4,95	C
5060102509000286	980 x 290	5	75	845	63-72	100-109	26-35	9	50	0,82	C
5060102509000345	980 x 350	6	75	845	63-72	100-109	26-35	9	50	0,98	C
5060102509000404	980 x 400	7	75	845	63-72	100-109	26-35	9	50	1,14	C-E-D
5060102509000463	980 x 460	8	75	845	63-72	100-109	26-35	9	50	1,30	C-E-D
5060102509000522	980 x 520	9	75	845	63-72	100-109	26-35	9	50	1,46	C-E-D
5060102509000581	980 x 580	10	75	845	63-72	100-109	26-35	9	50	1,61	C-E-D
5060102509000640	980 x 640	11	75	845	63-72	100-109	26-35	9	50	1,77	C-E-D
5060102509000699	980 x 700	12	75	845	63-72	100-109	26-35	9	50	1,93	C-E-D
5060102509000758	980 x 760	13	75	845	63-72	100-109	26-35	9	50	2,09	C-E-D
5060102509000817	980 x 820	14	75	845	63-72	100-109	26-35	9	50	2,25	C-E-D
5060102509000876	980 x 880	15	75	845	63-72	100-109	26-35	9	50	2,41	C-E-D
5060102509000935	980 x 940	16	75	845	63-72	100-109	26-35	9	50	2,56	C-E-D
5060102509000994	980 x 990	17	75	845	63-72	100-109	26-35	9	50	2,72	C-E-D
5060102509001053	980 x 1050	18	75	845	63-72	100-109	26-35	9	50	2,90	C-E-D
5060102509001112	980 x 1110	19	75	845	63-72	100-109	26-35	9	50	3,05	C-E-D
5060102509001171	980 x 1170	20	75	845	63-72	100-109	26-35	9	50	3,21	C-E-D
5060102509001230	980 x 1230	21	75	845	63-72	100-109	26-35	9	50	3,37	C-E-D
5060102509001289	980 x 1290	22	75	845	63-72	100-109	26-35	9	50	3,53	C-E-D
5060102509001348	980 x 1350	23	75	845	63-72	100-109	26-35	9	50	3,69	C-E-D
5060102509001407	980 x 1410	24	75	845	63-72	100-109	26-35	9	50	3,85	C
5060102509001466	980 x 1470	25	75	845	63-72	100-109	26-35	9	50	4,01	C
5060102509001525	980 x 1530	26	75	845	63-72	100-109	26-35	9	50	4,16	C
5060102509001584	980 x 1580	27	75	845	63-72	100-109	26-35	9	50	4,32	C
5060102509001643	980 x 1640	28	75	845	63-72	100-109	26-35	9	50	4,48	C
5060102509001702	980 x 1700	29	75	845	63-72	100-109	26-35	9	50	4,64	C
5060102509001761	980 x 1760	30	75	845	63-72	100-109	26-35	9	50	4,80	C
5060102509001820	980 x 1820	31	75	845	63-72	100-109	26-35	9	50	4,96	C
5060102509001879	980 x 1880	32	75	845	63-72	100-109	26-35	9	50	5,12	C
5060102509001938	980 x 1940	33	75	845	63-72	100-109	26-35	9	50	5,27	C
5060102509001997	980 x 2000	34	75	845	63-72	100-109	26-35	9	50	5,43	C
5060102510000286	1080 x 290	5	75	945	63-72	100-109	26-35	9	50	0,89	C
5060102510000345	1080 x 350	6	75	945	63-72	100-109	26-35	9	50	1,07	C
5060102510000404	1080 x 400	7	75	945	63-72	100-109	26-35	9	50	1,24	C-E-D
5060102510000463	1080 x 460	8	75	945	63-72	100-109	26-35	9	50	1,41	C-E-D
5060102510000522	1080 x 520	9	75	945	63-72	100-109	26-35	9	50	1,58	C-E-D
5060102510000581	1080 x 580	10	75	945	63-72	100-109	26-35	9	50	1,76	C-E-D
5060102510000640	1080 x 640	11	75	945	63-72	100-109	26-35	9	50	1,93	C-E-D
5060102510000699	1080 x 700	12	75	945	63-72	100-109	26-35	9	50	2,10	C-E-D
5060102510000758	1080 x 760	13	75	945	63-72	100-109	26-35	9	50	2,28	C-E-D
5060102510000817	1080 x 820	14	75	945	63-72	100-109	26-35	9	50	2,45	C-E-D
5060102510000876	1080 x 880	15	75	945	63-72	100-109	26-35	9	50	2,62	C-E-D
5060102510000935	1080 x 940	16	75	945	63-72	100-109	26-35	9	50	2,79	C-E-D
5060102510000994	1080 x 990	17	75	945	63-72	100-109	26-35	9	50	2,97	C-E-D
5060102510001053	1080 x 1050	18	75	945	63-72	100-109	26-35	9	50	3,15	C-E-D
5060102510001112	1080 x 1110	19	75	945	63-72	100-109	26-35	9	50	3,33	C-E-D
5060102510001171	1080 x 1170	20	75	945	63-72	100-109	26-35	9	50	3,50	C-E-D
5060102510001230	1080 x 1230	21	75	945	63-72	100-109	26-35	9	50	3,67	C-E-D
5060102510001289	1080 x 1290	22	75	945	63-72	100-109	26-35	9	50	3,84	C-E-D
5060102510001348	1080 x 1350	23	75	945	63-72	100-109	26-35	9	50	4,02	C-E-D
5060102510001407	1080 x 1410	24	75	945	63-72	100-109	26-35	9	50	4,19	C
5060102510001466	1080 x 1470	25	75	945	63-72	100-109	26-35	9	50	4,36	C
5060102510001525	1080 x 1530	26	75	945	63-72	100-109	26-35	9	50	4,54	C
5060102510001584	1080 x 1580	27	75	945	63-72	100-109	26-35	9	50	4,71	C
5060102510001643	1080 x 1640	28	75	945	63-72	100-109	26-35	9	50	4,88	C
5060102510001702	1080 x 1700	29	75	945	63-72	100-109	26-35	9	50	5,05	C
5060102510001761	1080 x 1760	30	75	945	63-72	100-109	26-35	9	50	5,23	C
5060102510001820	1080 x 1820	31	75	945	63-72	100-109	26-35	9	50	5,40	C
5060102510001879	1080 x 1880	32	75	945	63-72	100-109	26-35	9	50	5,57	C
5060102510001938	1080 x 1940	33	75	945	63-72	100-109	26-35	9	50	5,75	C
5060102510001997	1080 x 2000	34	75	945	63-72	100-109	26-35	9	50	5,92	C
5060102512000286	1280 x 290	5	75	1145	63-72	100-109	26-35	9	50	1,04	C
5060102512000345	1280 x 350	6	75	1145	63-72	100-109	26-35	9	50	1,24	C
5060102512000404	1280 x 400	7	75	1145	63-72	100-109	26-35	9	50	1,44	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060102508000994	1435	4893	1865	6361
5060102508001053	1519	5181	1975	6735
5060102508001112	1604	5469	2085	7110
5060102508001171	1688	5757	2195	7484
5060102508001230	1773	6045	2304	7858
5060102508001289	1857	6332	2414	8232
5060102508001348	1941	6620	2524	8606
5060102508001407	2026	6908	2634	8980
5060102508001466	2110	7196	2743	9355
5060102508001525	2195	7484	2853	9729
5060102508001584	2279	7772	2963	10103
5060102508001643	2363	8059	3072	10477
5060102508001702	2448	8347	3182	10851
5060102508001761	2532	8635	3292	11226
5060102508001820	2617	8923	3402	11600
5060102508001879	2701	9211	3511	11974
5060102508001938	2785	9499	3621	12348
5060102508001997	2870	9786	3731	12722
5060102509000286	465	1584	604	2059
5060102509000345	557	1901	725	2471
5060102509000404	650	2218	845	2883
5060102509000463	743	2535	966	3295
5060102509000522	836	2851	1087	3707
5060102509000581	929	3168	1208	4119
5060102509000640	1022	3485	1329	4531
5060102509000699	1115	3802	1449	4942
5060102509000758	1208	4119	1570	5354
5060102509000817	1301	4435	1691	5766
5060102509000876	1394	4752	1812	6178
5060102509000935	1487	5069	1933	6590
5060102509000994	1579	5386	2053	7002
5060102509001053	1672	5703	2174	7414
5060102509001112	1765	6020	2295	7825
5060102509001171	1858	6336	2416	8237
5060102509001230	1951	6653	2536	8649
5060102509001289	2044	6970	2657	9061
5060102509001348	2137	7287	2778	9473
5060102509001407	2230	7604	2899	9885
5060102509001466	2323	7920	3020	10297
5060102509001525	2416	8237	3140	10709
5060102509001584	2509	8554	3261	11120
5060102509001643	2601	8871	3382	11532
5060102509001702	2694	9188	3503	11944
5060102509001761	2787	9505	3623	12356
5060102509001820	2880	9821	3744	12768
5060102509001879	2973	10138	3865	13180
5060102509001938	3066	10455	3986	13592
5060102509001997	3159	10772	4107	14003
5060102510000286	505	1722	657	2249
5060102510000345	606	2067	788	2686
5060102510000404	707	2411	919	3134
5060102510000463	808	2755	1050	3582
5060102510000522	909	3100	1182	4030
5060102510000581	1010	3444	1313	4477
5060102510000640	1111	3789	1444	4925
5060102510000699	1212	4133	1576	5373
5060102510000758	1313	4477	1707	5821
5060102510000817	1414	4822	1838	6268
5060102510000876	1515	5166	1970	6716
5060102510000935	1616	5511	2101	7164
5060102510000994	1717	5855	2232	7612
5060102510001053	1818	6200	2363	8059
5060102510001112	1919	6544	2495	8507
5060102510001171	2020	6888	2626	8955
5060102510001230	2121	7233	2757	9403
5060102510001289	2222	7577	2889	9850
5060102510001348	2323	7922	3020	10298
5060102510001407	2424	8266	3151	10746
5060102510001466	2525	8610	3283	11194
5060102510001525	2626	8955	3414	11641
5060102510001584	2727	9299	3545	12089
5060102510001643	2828	9644	3676	12537
5060102510001702	2929	9988	3808	12985
5060102510001761	3030	10333	3939	13432
5060102510001820	3131	10677	4070	13880
5060102510001879	3232	11021	4202	14328
5060102510001938	3333	11366	4333	14776
5060102510001997	3434	11710	4464	15223
5060102512000286	580	1977	754	2570
5060102512000345	696	2373	905	3084
5060102512000404	812	2768	1055	3599

SIESTA DOUBLE LUX

TECHNICAL INFORMATION (For connection types, please refer to the last page)

MODEL CODE	Height x Width	Tube	Depth (D)	Pipe Centers (A)	Wall to Pipe Centers (L)	Depth From Wall (K)	Wall To Radiator Back (M)	Space Between Tubes (E)	Tube Width (F)	Water Volume	Fuel Type
	mm	pieces	mm	mm	mm	mm	mm	mm	mm	L	
5060102512000463	1280 x 460	8	75	1145	63-72	100-109	26-35	9	50	1.64	C-E-D
5060102512000522	1280 x 520	9	75	1145	63-72	100-109	26-35	9	50	1.84	C-E-D
5060102512000581	1280 x 580	10	75	1145	63-72	100-109	26-35	9	50	2.04	C-E-D
5060102512000640	1280 x 640	11	75	1145	63-72	100-109	26-35	9	50	2.24	C-E-D
5060102512000699	1280 x 700	12	75	1145	63-72	100-109	26-35	9	50	2.45	C-E-D
5060102512000758	1280 x 760	13	75	1145	63-72	100-109	26-35	9	50	2.65	C-E-D
5060102512000817	1280 x 820	14	75	1145	63-72	100-109	26-35	9	50	2.85	C-E-D
5060102512000876	1280 x 880	15	75	1145	63-72	100-109	26-35	9	50	3.05	C-E-D
5060102512000935	1280 x 940	16	75	1145	63-72	100-109	26-35	9	50	3.25	C-E-D
5060102512000994	1280 x 990	17	75	1145	63-72	100-109	26-35	9	50	3.45	C-E-D
5060102512001053	1280 x 1050	18	75	1145	63-72	100-109	26-35	9	50	3.67	C-E-D
5060102512001112	1280 x 1110	19	75	1145	63-72	100-109	26-35	9	50	3.87	C-E-D
5060102512001171	1280 x 1170	20	75	1145	63-72	100-109	26-35	9	50	4.07	C-E-D
5060102512001230	1280 x 1230	21	75	1145	63-72	100-109	26-35	9	50	4.27	C-E-D
5060102512001289	1280 x 1290	22	75	1145	63-72	100-109	26-35	9	50	4.47	C-E-D
5060102512001348	1280 x 1350	23	75	1145	63-72	100-109	26-35	9	50	4.68	C-E-D
5060102514000286	1480 x 290	5	75	1345	63-72	100-109	26-35	9	50	1.18	C
5060102514000345	1480 x 350	6	75	1345	63-72	100-109	26-35	9	50	1.41	C
5060102514000404	1480 x 400	7	75	1345	63-72	100-109	26-35	9	50	1.64	C-E-D
5060102514000463	1480 x 460	8	75	1345	63-72	100-109	26-35	9	50	1.87	C-E-D
5060102514000522	1480 x 520	9	75	1345	63-72	100-109	26-35	9	50	2.10	C-E-D
5060102514000581	1480 x 580	10	75	1345	63-72	100-109	26-35	9	50	2.33	C-E-D
5060102514000640	1480 x 640	11	75	1345	63-72	100-109	26-35	9	50	2.56	C-E-D
5060102514000699	1480 x 700	12	75	1345	63-72	100-109	26-35	9	50	2.79	C-E-D
5060102514000758	1480 x 760	13	75	1345	63-72	100-109	26-35	9	50	3.02	C-E-D
5060102514000817	1480 x 820	14	75	1345	63-72	100-109	26-35	9	50	3.25	C-E-D
5060102514000876	1480 x 880	15	75	1345	63-72	100-109	26-35	9	50	3.48	C-E-D
5060102514000935	1480 x 940	16	75	1345	63-72	100-109	26-35	9	50	3.71	C-E-D
5060102514000994	1480 x 990	17	75	1345	63-72	100-109	26-35	9	50	3.94	C-E-D
5060102514001053	1480 x 1050	18	75	1345	63-72	100-109	26-35	9	50	4.18	C-E-D
5060102514001112	1480 x 1110	19	75	1345	63-72	100-109	26-35	9	50	4.41	C-E-D
5060102514001171	1480 x 1170	20	75	1345	63-72	100-109	26-35	9	50	4.64	C-E-D
5060102514001230	1480 x 1230	21	75	1345	63-72	100-109	26-35	9	50	4.87	C-E-D
5060102514001289	1480 x 1290	22	75	1345	63-72	100-109	26-35	9	50	5.10	C-E-D
5060102514001348	1480 x 1350	23	75	1345	63-72	100-109	26-35	9	50	5.33	C-E-D

HEAT OUTPUTS INFORMATION

MODEL CODE	Heat Outputs ΔT 50 °C		Heat Outputs ΔT 60 °C	
	Watt	Btu	Watt	Btu
5060102512000463	928	3164	1206	4113
5060102512000522	1044	3559	1357	4627
5060102512000581	1160	3954	1508	5141
5060102512000640	1276	4350	1658	5655
5060102512000699	1392	4745	1809	6169
5060102512000758	1508	5141	1960	6683
5060102512000817	1624	5536	2111	7197
5060102512000876	1740	5932	2261	7711
5060102512000935	1855	6327	2412	8225
5060102512000994	1971	6723	2563	8739
5060102512001053	2087	7118	2714	9253
5060102512001112	2203	7514	2864	9768
5060102512001171	2319	7909	3015	10282
5060102512001230	2435	8304	3166	10796
5060102512001289	2551	8700	3317	11310
5060102512001348	2667	9095	3467	11824
5060102514000286	666	2270	865	2951
5060102514000345	799	2724	1039	3541
5060102514000404	932	3178	1212	4132
5060102514000463	1065	3632	1385	4722
5060102514000522	1198	4086	1558	5312
5060102514000581	1331	4540	1731	5902
5060102514000640	1465	4994	1904	6493
5060102514000699	1598	5448	2077	7083
5060102514000758	1731	5902	2250	7673
5060102514000817	1864	6357	2423	8263
5060102514000876	1997	6811	2596	8854
5060102514000935	2130	7265	2769	9444
5060102514000994	2264	7719	2943	10034
5060102514001053	2397	8173	3116	10624
5060102514001112	2530	8627	3289	11215
5060102514001171	2663	9081	3462	11805
5060102514001230	2796	9535	3635	12395
5060102514001289	2929	9989	3808	12985
5060102514001348	3062	10443	3981	13576

LOGISTICS INFORMATION

Net Weight	Gross Weight	Package Volume	Package Dimensions (H x W x D)
kg	kg	m³	mm
13.62	16.29	0.09	1400X510X117
15.29	18.11	0.10	1400X569X117
16.97	19.96	0.11	1400X628X117
18.64	21.96	0.12	1400X687X117
20.31	23.80	0.13	1400X746X117
21.98	25.64	0.14	1400X805X117
23.66	27.48	0.15	1400X864X117
25.33	29.33	0.16	1400X923X117
27.01	31.17	0.17	1400X982X117
28.68	33.01	0.18	1400X1041X117
30.47	34.97	0.19	1400X1100X117
32.14	36.80	0.19	1400X1159X117
33.82	38.66	0.20	1400X1218X117
35.49	40.49	0.21	1400X1277X117
37.17	42.33	0.22	1400X1336X117
38.84	44.17	0.23	1400X1395X117
9.86	12.25	0.07	1600X333X117
11.77	14.35	0.08	1600X392X117
13.70	16.47	0.09	1600X451X117
15.62	18.57	0.10	1600X510X117
17.55	20.70	0.11	1600X569X117
19.48	22.82	0.12	1600X628X117
21.40	25.08	0.13	1600X687X117
23.32	27.19	0.14	1600X746X117
25.24	29.30	0.16	1600X805X117
27.17	31.41	0.17	1600X864X117
29.10	33.53	0.18	1600X923X117
31.02	35.65	0.19	1600X982X117
32.95	37.76	0.20	1600X1041X117
34.99	39.99	0.21	1600X1100X117
36.91	42.10	0.22	1600X1159X117
38.84	44.21	0.23	1600X1218X117
40.77	46.33	0.24	1600X1277X117
42.69	48.45	0.26	1600X1336X117
44.62	50.57	0.27	1600X1395X117

CONNECTIONS TYPE



SX, ZX, YP and YL connection types can be manufactured optionally based on customer request. Other connection types are provided as part of the standard product.

C: Central Heating / E: Electric / D: Dual Fuel